

Raindance Select S Hand shower 150 3jet

Surfaces: **chrome** Art. no. : **28587000**



Description

product features

- Shower head size: 150 mm
- Spray pattern: RainAir, CaresseAir, Mix
- Select button to comfortably switch between spray modes
- hand shower with 2-shell construction
- Maximum flow rate (at 3 bar): 16,4 l/min
- Minimum flow pressure: 1.5 bar
- Operating pressure: min. 1 bar/max. 6 bar
- with internal water conduction
- rinseable screen seal
- Connection thread 1/2"
- hand shower can be used with sliders that are infinitely adjustable in the incline. The hand shower should not be used for sliders with two predefined positions.
- winner of the iF Product Design Award 2011
- WRAS 1706059
- WRAS 1706059
- WRAS 1706059

Article Details

Price excl. VAT

£ 115.83

Technology



Certificates




kiwa

Product image



Scale drawing




Raindance Select S
Hand shower 150 3jet

Surfaces: **chrome** Art. no. : **28587000**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

Raindance Select S
Hand shower 150 3jet
Surfaces: **chrome** Art. no. : **28587000**



Exploded Drawing

Year of production: >06/11



Raindance Select S
Hand shower 150 3jet
 Surfaces: **chrome** Art. no. : **28587000**



Spare part list

Year of production: >06/11

Pos.	Description	Art. no.	Price	PU
1	filter insert	97708000	-	1