

Raindance Select S
Hand shower 120 3jet
 Surfaces: **chrome** Art. no. : **26530000**



Description

product features

- Shower head size: 125 mm
- Spray pattern: Rain, RainAir, Whirl
- Select button to comfortably switch between spray modes
- Maximum flow rate (at 3 bar): 15 l/min
- Minimum flow pressure: 1,4 bar
- Operating pressure: min. 1 bar/max. 6 bar
- with internal water conduction
- rinseable screen seal
- Connection thread 1/2"
- operating pressure: min 1.5 bar / max 6 bar
- winner of the iF product design award 2014

Article Details


Price excl. VAT

£ 89.17

Technology



Design awards




Certificates

kiwa

Product image



Scale drawing




Raindance Select S
Hand shower 120 3jet

Surfaces: **chrome** Art. no. : **26530000**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

Raindance Select S
Hand shower 120 3jet
Surfaces: **chrome** Art. no. : **26530000**



Exploded Drawing

Year of production: >06/13



Raindance Select S
Hand shower 120 3jet
 Surfaces: **chrome** Art. no. : **26530000**



Spare part list

Year of production: >06/13

Pos.	Description	Art. no.	Price	PU
1	filter insert	97708000	-	1
2	pivoting connection	93089000	-	1